

### AMENDMENTS TO THE CLAIMS

Please add or amend the claims to read as follows, and cancel without prejudice or disclaimer to resubmission in a divisional or continuation application claims indicated as cancelled:

1. **(Currently Amended)** A method for managing data storage comprising:  
  
receiving a stream of audio or video data related to a communication over a communication network;  
  
~~receiving computer telephony integration (CTI) metadata information associated with the communication;~~  
  
automatically analyzing the content of the audio or video data to determine at least one characteristic of the audio or video content of the received stream;  
  
generating based on said content analysis of the audio or video data metadata associated with the at least one characteristic ~~of the automatically analyzed content~~;  
  
selecting one of a plurality of storage options having different types of accessibility and/or capacity according to said ~~CTI metadata or~~ generated metadata pertaining to said at least one characteristic and according to at least one rule; and  
  
placing the data into said selected storage option.
2. (Original) The method of claim 1, wherein said placing said data further comprises compression of the data according to access needs or data importance.
3. (Original) The method of claim 1, wherein said data is data which needs formatting.
4. (Cancelled)

5. **(Currently Amended)** The method of claim 1, further comprising receiving computer telephony integration (CTI) metadata information associated with the communication; wherein selecting one of a plurality of storage options comprises selecting said storage option based on said CTI metadata, wherein the CTI metadata is received from a CTI server.
6. **(Previously Presented)** The method of claim 1 comprising:  
receiving Computer Relationship Management (CRM) data associated with the communication from a CRM server.
7. **(Cancelled)**
8. **(Original)** The method of claim 1, wherein said selected storage option causes deletion of the data.
9. **(Original)** The method of claims 1, wherein said plurality of storage options include storage options having at least two different types of devices.
10. **(Original)** The method of claim 9, wherein at least one storage option includes an on-line storage device.
11. **(Original)** The method of claim 9, wherein at least one storage option includes an off-line storage device.
12. **(Original)** The method of claim 9, wherein at least one storage option includes a near-line storage device.
13. -14. **(Cancelled)**

15. (Previously Presented) The method of claim 1, wherein the data is analyzed automatically according to a type of the data.
16. (Original) The method of claim 15, wherein the data includes a plurality of different types of data, and said plurality of different types of data is analyzed concurrently.
17. (Previously Presented) The method of claim 1, wherein the data is rendered into a common format before being analyzed automatically.
18. (Previously Presented) The method of claim 1, wherein the data is rendered into a common format after being analyzed automatically.
19. (Original) The method of claim 1, wherein said at least one rule includes a time interval for holding the data in said selected storage option.
20. (Original) The method of claim 19, wherein the data is migrated from a first selected storage option to a second selected storage option after said time interval has elapsed.
21. (Original) The method of claim 1, wherein said at least one rule is entered manually.
22. (Original) The method of claim 1, wherein said at least one rule is generated automatically.
23. (Original) The method of claim 22, wherein said at least one rule is generated automatically according to business data.
24. (Previously Presented) The method of claim 19, wherein said at least one rule includes an action to be performed on the data according to an event, wherein said event is related to said at least one characteristic of the data.

25. (Previously Presented) The method of claim 1, further comprising:

receiving data from an input source, wherein said data includes at least one of coded data, e-mail messages, e-mail attachments, chat messages, other types of messaging system messages, documents transmitted by facsimile and user interface data; and

automatically analyzing the content of the data received from the input source to determine at least one characteristic of the content of the data.

26. (Previously Presented) The method of claim 1, wherein feedback from an analysis of the content of the data is used for determining said at least one characteristic.

27. **(Currently Amended)** A system for data management according to content of the data, comprising:

an input source to deliver a stream of audio or video data related to a communication over a communication network;

~~a computer telephony integration (CTI) server to provide CTI metadata information associated with the communication;~~

an analysis module for analyzing the content of the data to determine at least one characteristic of the audio or video content of the delivered data stream and to generate based on said content analysis of the audio or video data metadata associated with the at least one characteristic ~~of the analyzed content;~~

a rule engine to compare at least a portion of the generated metadata ~~or the CTI metadata~~ to at least one rule and to select one of a plurality of storage options based on said comparison;

a storage manager for receiving a decision related to the selected storage option from said rule engine; and

a plurality of storage devices having different types of accessibility and/or capacity, wherein said storage manager stores the data in one of said plurality of storage devices according to said decision.

28. (Previously Presented) The system of claim 27, wherein said storage devices have different characteristics.
29. (Previously Presented) The system of claim 28, wherein said different characteristics include lifetime of stored data, and reliability to a user.
- 30.-33. (Cancelled)
34. (Original) The system of claim 27, further comprising a client, wherein said rule engine determines if data is to be retrieved to said client.
35. (Previously Presented) The system of claim 27, further comprising:  
a format analyzer to format the data prior to being delivered to the analysis module,  
wherein said rule engine determines if the data is to be used as feedback to said format analyzer.
36. (Original) The system of claim 27, wherein an operation of said rule engine is manually triggered.
37. (Original) The system of claim 27, wherein an operation of said rule engine is automatically triggered.
38. (Original) The system of claim 37, wherein said rule engine is an initiator of a process for at least storing the data.
39. (Previously Presented) The system of claim 27 comprising:  
a correlator for correlating data originated from more than one source of data, the data selected from the group containing computer metadata, telephony

metadata, formatted data and telephony content data for determining at least one characteristic of the data to be stored.

40-42. (Cancelled)

43. (Currently Amended) A system for data management according to metadata, comprising:

- an input source to deliver a stream of audio or video data related to a communication over a communication network;

- ~~a client relationship management (CRM) server to provide CRM metadata input associated with the communication;~~

- an analysis module for analyzing the content of the data to determine at least one characteristic of the audio or video content of the delivered data stream and to generate based on said content analysis of the audio or video data metadata associated with the at least one characteristic ~~of the analyzed content;~~

- a rule engine to compare at least a portion of the generated metadata ~~or the CRM metadata~~ to at least one rule and to select one of a plurality of storage options based on said comparison;

- a storage manager for receiving a decision related to the selected storage option from said rule engine; and

- a plurality of storage devices having different types of accessibility and/or capacity, wherein said storage manager stores the data in one of said plurality of storage devices according to said decision.

44. (Previously Presented) The method of claim 1, wherein the communication is a telephone call between a customer and a member of service center personnel.

45. (Previously Presented) The method of claim 1, wherein the communication is a voice communication and further comprising converting the audio data of the voice communication to textual data.
46. (Previously Presented) The method of claim 45, further comprising analyzing the textual data to categorize the voice communication.
47. (New) The method of claim 1, wherein automatically analyzing the content of the video data comprises analyzing the content of at least one frame of said received stream of video data.
48. (New) The method of claim 47, wherein said characteristic of the content comprises human presence, and wherein analyzing the content of at least one frame comprises determining the presence of a human subject in said at least one frame.
49. (New) The method of claim 47, wherein said characteristic of the content comprises motion detection, and wherein analyzing the content of at least one frame comprises detecting motion in said at least one frame.
50. (New) The method of claim 47, wherein said characteristic of the content comprises face recognition, and wherein analyzing the content of at least one frame comprises recognizing a face in said at least one frame.
51. (New) The system of claim 27, wherein said analysis module is to analyze the content of the video data by analyzing the content of at least one frame of said delivered stream of video data.
52. (New) The system of claim 51, wherein said characteristic of the content comprises human presence, and wherein said analysis module is to analyze the content of at least one frame by determining the presence of a human subject in said at least one frame.

53. (New) The system of claim 51, wherein said characteristic of the content comprises motion detection, and wherein said analysis module is to analyze the content of at least one frame by detecting motion in said received stream of video data.
54. (New) The system of claim 51, wherein said characteristic of the content comprises face recognition, and wherein said analysis module is to analyze the content of at least one frame by recognizing a face in said received stream of video data.
55. (New) The system of claim 43, wherein said analysis module is to analyze the content of the video data by analyzing the content of at least one frame of said delivered stream of video data.
56. (New) The system of claim 55, wherein said characteristic of the content comprises human presence, and wherein said analysis module is to analyze the content of at least one frame by determining the presence of a human subject in said at least one frame.
57. (New) The system of claim 55, wherein said characteristic of the content comprises motion detection, and wherein said analysis module is to analyze the content of at least one frame by detecting motion in said received stream of video data.
58. (New) The system of claim 55, wherein said characteristic of the content comprises face recognition, and wherein said analysis module is to analyze the content of at least one frame by recognizing a face in said received stream of video data.
59. (New) The system of claim 27, further comprising a computer telephony integration (CTI) server to provide CTI metadata information associated with the communication, wherein said rule engine is further to compare at least a portion of the CTI metadata to at least one rule and to select one of a plurality of storage options based on said comparison.



APPLICANT(S): KASMIRSKY, Yehoshapat, et al.  
SERIAL NO.: 10/766,851  
FILED: January 30, 2004  
Page 10

60. (New) The system of claim 43, further comprising a client relationship management (CRM) server to provide CRM metadata input associated with the communication, wherein said rule engine is further to compare at least a portion of the the CRM metadata to at least one rule and to select one of a plurality of storage options based on said comparison.